



Programming 1

Laszlo SZATHMARY

University of Debrecen
Faculty of Informatics

Lecture #4

- what is evaluated as False; string buffer
- tuple data type
- list comprehension
- control structures
- functions

(last update: 2024-01-31 [yyyy-mm-dd])

2023-2024, 2nd semester



What is evaluated as False?

False
None
0 # and: 0.0
" " # or: ""
[]
()
{}

} empty sequences
empty set

```
>>> bool(None)
False
>>> bool([])
False
>>> bool([1,2,3])
True
>>> bool("py")
True
```

Anything else is considered to be True.

HW: XOR.

<http://docs.python.org/3/library/stdtypes.html#truth-value-testing>

String buffer

Example: consider the natural numbers from 1 to 15 (included) and write them down one after the other. Let the result be a string:

„123456789101112131415”.

String buffer

Example: consider the natural numbers from 1 to 15 (included) and write them down one after the other. Let the result be a string:
„123456789101112131415”.

Naïve approach:

```
5 res = ""
6 for i in range(1, 15+1):
7     res += str(i)
8 #
9 print(res)
```

Using a string buffer:

```
5 parts = []
6 for i in range(1, 15+1):
7     parts.append(str(i))
8 #
9 res = "".join(parts)
10 print(res)
```

tuple

```
4  >>> a = (1, 2, 3)
5  >>> a[0]
6  1
7  >>> a[0] = 5
8  Traceback (most recent call last):
9  File "<stdin>", line 1, in <module>
10 TypeError: 'tuple' object does not support item assignment
11 >>>
12 >>> m = ('Total Recall', 1990, 7.5)
13 >>> m
14 ('Total Recall', 1990, 7.5)
15 >>> len(m)
16 3
17 >>> m[:2]
18 ('Total Recall', 1990)
19 >>>
20 >>> (x, y) = (1, 2) ←
21 >>> x
22 1
23 >>> y
24 2
25 >>> single = ('hi',)
26 >>> single
27 ('hi',)
```

immutable
(read-only)

parallel assignment
(parentheses are often optional)

tuple with one element
(Notice the special syntax!)

HW: [tuple02.py](#)

```
4 def get_movie_info():
5     # contact database,
6     # fetch info from a website, etc.
7     return ('Total Recall', 1990, 7.5)
8
9
10 def main():
11     (title, year, score) = get_movie_info()
12     print('Title:', title)
13     print('Year:', year)
14     print('Score:', score)
```

using this method, a function can return **multiple values**

value unpacking

```
1 >>> a = 3
2 >>> b = 9
3 >>> a
4 3
5 >>> b
6 9
7 >>> a, b = b, a ←
8 >>> a
9 9
10 >>> b
11 3
12 >>>
```

Swap two variables.
No temp variable is needed :)

List comprehension: a compact way for building lists

```

1 >>> nums = [1, 2, 3, 4]
2 >>> squares = [n*n for n in nums]
3 >>> squares
4 [1, 4, 9, 16]

```



```

1 >>> nums = [1, 2, 3, 4]
2 >>> squares = []
3 >>> for n in nums:
4 ...     squares.append(n*n)
5 ...
6 >>> squares
7 [1, 4, 9, 16]

```

Generally:

[expr for var in list]

Optional „if”:

```

1 >>> nums = [8, 3, 2, 1, 5, 9, 2]
2 >>> small = [n for n in nums if n <= 2]
3 >>> small
4 [2, 1, 2]
5 >>>

```

it keeps only those elements
that satisfy the condition

Exercise

Solve the following exercises with list comprehensions.

Link: <https://arato.inf.unideb.hu/szathmary.laszlo/pmwiki/index.php?n=EnPy3.20120818d>

Common operation: reverse a sequence

```

1  >>> s = 'Python rulz'
2  >>> s[::-1] ←
3  'zur nohtyP' ←
4  >>>
5  >>> li = [23, 76, 84, 12]
6  >>> li[::-1] ←
7  [12, 84, 76, 23]
8  >>>

```

from the beginning to the end,
but with a reversed step
(it returns a new sequence)

Raising to a power; int and long types

```

1  >>> 2**3
2  8
3  >>> 2**64
4  18446744073709551616L
5  >>> 2**128
6  340282366920938463463374607431768211456L
7  >>>
8  >>> import sys
9  >>> sys.maxint
10 9223372036854775807 ←
11 >>> a = sys.maxint + 1 ←
12 >>> a ←
13 9223372036854775808L ←
14 >>> type(sys.maxint)
15 <type 'int'>
16 >>> type(a)
17 <type 'long'>

```



Python can handle arbitrarily
large integers
(only depends on the memory)

here: 64 bit int ($2^{63} - 1$)

instead of an overflow, its type
is changed automatically from
„int“ to „long“

Python 3: there is only *int* type, but
in the case of big numbers it behaves
like *long*.

if / elif / else

```
4 def main(num):
5     if num < 0:
6         print('Negative number.')
7     elif num == 0:           ←
8         print('Zero.')
9     elif num < 100:
10        print('Less than 100.')
11    else:
12        print('More than 100.') # >= 100, actually
```

Instead of „else if” we write „elif”.

How to memorize that? The word „elif” is just as long as the word „else”...

for

```
4 def main():
5     li = ['alfa', 'beta', 'gamma']
6
7     for e in li:
8         print(e)
9
10    for index, e in enumerate(li):
11        print(index, e)
```

alfa
beta
gamma

0 alfa
1 beta
2 gamma

It's a common case that we also need the indexes of the elements.


Use the `enumerate()` function, which is also an iterator in Python 3.

See also `enumerate(my_list, start=1)`.

break / continue

pass

```
4 def main():
5     cnt = 0
6     while True:
7         cnt += 1
8         if cnt == 42:
9             break
10    #
11    print(cnt)    # 42
12
13    li = ['ananas', 'banana', 'orange']
14    for e in li:
15        if e == 'banana':
16            continue
17        #
18        print(e)
19
20
21    def palindrome(s):
22        pass    # TODO...
```



42

ananas
orange

empty statement

docstring

Documentation should be one line:

```
4 def square(num):  
5     """Return the square of a given number."""  
6     return num ** 2
```

Or multiline. In this case the first line should be a short summary in one line. Then leave a line empty, and then you can detail the goal of the function, how it works, what are its side effects, etc.

```
9 def square_v2(num):  
10    """Return the square of a given number.  
11  
12    Calculate the square of the input number."""  
13    return num * num
```

(see also: annex F)

Document your programs! Get used to it!

optional parameters / default parameter values

```
>>> def greet(name, greetings="Hello"):  
...     print("{g}, {n}!".format(g=greetings, n=name))  
...  
>>> greet("Laszlo")  
Hello, Laszlo!  
>>>  
>>> greet("Laszlo", greetings="Hola")  
Hola, Laszlo!  
>>>  
>>> greet("Laszlo", "Bonjour")  
Bonjour, Laszlo!
```

optional parameters (another example)

```
4 def hello(name, repeat=1, postfix=' '):
5     for i in range(repeat):
6         print(name + postfix)
7
8
9 def main():
10    hello('Laci')
11    print('#' * 10)
12    hello('Laci', repeat=3)
13    print('#' * 10)
14    hello('Laci', postfix='!')
15    print('#' * 10)
16    hello('Laci', repeat=3, postfix='!')
17    print('#' * 10)
18    print('#' * 10)
19    hello('Laci', 3)
20    print('#' * 10)
21    hello('Laci', 3, '')
22    print('#' * 10)
23    hello('Laci', '')      # error
```



homework



Exercises

1. [\[20120818a\]](#) distance between two points (tuple)
2. [\[20120818d\]](#) list comprehensions (to complete)
3. [\[20120818e\]](#) multiples of 3 or 5 (PE #1)
(this time with list comprehensions)
4. [\[20120920e\]](#) line break
5. [\[20130211b\]](#) diamond
6. [\[20120818f\]](#) sum square difference (PE #6)
7. [\[20130305a\]](#) XOR (Warning! Requires thinking!)